

KING AMERICA FINISHING, INC.
 HWY 17
 DOVER, GA 30424

BEGINNING 01/01/14
 DATE MO/DA/YR
 END 01/31/14

LOCATION CODE	001		001	001	001	001	001	001	001	001	001	001	001	001	001	001	001
PARAMETER NAME & UNITS	FLOW D. AVG MGD		BOD lbs/day	BOD mg/l	COD lbs/day	COD mg/l	TSS lbs/day	TSS mg/l	SULFIDES lbs/day	SULFIDES mg/l	TDS mg/l	TOTAL PHENOLS lbs/day	TOTAL PHENOLS mg/l	TOTAL CHROMIUM lbs/day	TOTAL CHROMIUM mg/l	TOTAL AMMONIA lbs/day	TOTAL AMMONIA mg/l
TYPE OF SAMPLE	CONT.		COMP.	COMP.	COMP.	COMP.	COMP.	COMP.	GRAB	GRAB	COMP.	GRAB	GRAB	COMP.	COMP.	COMP.	COMP.
FREQUENCY OF ANALYSIS	DAILY		FIVE WEEK	FIVE WEEK	FIVE WEEK	FIVE WEEK	FIVE WEEK	FIVE WEEK	DAILY	DAILY	FIVE WEEK	ONE WEEK	ONE WEEK	ONE WEEK	ONE WEEK	DAILY	DAILY
LIMITS	AVG 3.1		AVG 776 MAX 1552	AVG 30 MAX 60	AVG 5500 MAX 11000	REPORT	AVG 2140 MAX 4280	REPORT	AVG 24 MAX 48	AVG 1.5 MAX 3.0	AVG 2500 MAX 3800	AVG 5.0 MAX 15	REPORT	AVG 12 MAX 24	AVG 1.2 MAX 2.4	AVG 260 MAX 520	AVG 7 MAX 13
DATE																	
01/01/14	1.23		143	13.90	788	77	359	35	ND10	ND1.0	972	0.8	0.08			43.2	4.21
01/02/14	1.28		123	11.50	1,019	96	344	32	ND11	ND1.0	857			ND0.1	ND0.01	36.0	3.37
01/03/14	1.49		194	15.60	1,429	115	628	51	ND12	ND1.0	882					4.3	0.35
01/04/14	1.43								ND12	ND1.0						23.1	1.94
01/05/14	1.71								ND14	ND1.0						25.7	1.80
01/06/14	1.31		244	22.30	1,661	152	380	35	ND11	ND1.0	1,980					17.2	1.57
01/07/14	1.02		208	24.50	1,353	159	367	43	ND9	ND1.0	2,010					9.0	1.06
01/08/14	1.00		309	37.10	1,451	174	488	59	ND8	ND1.0	2,050	ND0.4	ND0.05	ND0.1	ND0.01	15.2	1.82
01/09/14	1.05		205	23.40	1,235	141	375	43	ND9	ND1.0	2,000					12.2	1.39
01/10/14	1.36		248	21.90	2,473	218	681	60	ND11	ND1.0	1,810					7.1	0.63
01/11/14	1.61								ND13	ND1.0						23.9	1.78
01/12/14	1.78								ND15	ND1.0						9.2	0.62
01/13/14	1.69		417	29.60	2,946	209	606	43	ND14	ND1.0	2,060					13.0	0.92
01/14/14	1.95		667	41.00	3,887	239	984	61	ND16	ND1.0	2,110					15.4	0.95
01/15/14	2.11		783	44.50	4,558	259	1,337	76	ND18	ND1.0	2,100	ND0.9	ND0.05	ND0.2	ND0.01	17.6	1.00
01/16/14	2.65		1,339	60.60	8,951	405	2,144	97	ND22	ND1.0	2,320					37.6	1.70
01/17/14	2.51		1,737	83.00	5,673	271	3,559	170	21	1.0	2,370					29.9	1.43
01/18/14	2.25								ND19	ND1.0						12.2	0.65
01/19/14	2.11								ND18	ND1.0						10.0	0.57
01/20/14	1.63		276	20.30	2,787	205	541	40	ND14	ND1.0	2,170					4.4	0.32
01/21/14	1.85		606	39.30	3,919	254	1,489	97	ND15	ND1.0	2,220					32.9	2.13
01/22/14	1.80		363	24.20	3,183	212	492	33	ND15	ND1.0	2,160	0.8	0.05	ND0.2	ND0.01	20.6	1.37
01/23/14	1.28		239	22.40	1,975	185	262	25	ND11	ND1.0	2,190					24.4	2.29
01/24/14	1.02		210	24.70	1,642	193	257	30	ND9	ND1.0	2,160					5.2	0.61
01/25/14	1.02								ND9	ND1.0						14.9	1.75
01/26/14	1.12								ND9	ND1.0						15.7	1.68
01/27/14	1.17		207	21.20	2,059	211	234	24	ND10	ND1.0	2,310					18.3	1.88
01/28/14	1.65		512	37.20	3,592	261	633	46	ND14	ND1.0	2,450					35.0	2.54
01/29/14	1.58		484	36.70	3,663	278	817	62	ND13	ND1.0	2,500	7.1	0.54	ND0.1	ND0.01	43.5	3.30
01/30/14	0.87		246	33.90	1,734	239	325	45	ND7	ND1.0	2,450					22.1	3.04
01/31/14	0.99		266	32.40	2,089	254	385	47	ND8.22	ND1.0	2,420					24.8	3.01
# SAMPLES	31		23	23	23	23	23	23	31	31	23	5	5	5	5	31	31
AVG. VALUE	1.533		436	31	2785	209	769	54	12.78	1.00	2023.96	1.997	0.154	0.130	0.010	20.11	1.67
MAX. VALUE	2.650		1737	83	8951	405	3559	170	22.10	1.00	2500.00	7.116	0.540	0.176	0.010	43.48	4.21
MIN. VALUE	0.870		123	12	788	77	234	24	7.26	1.00	857.00	0.417	0.050	0.083	0.010	4.35	0.32
# MAX EXCD.	0		1	2	0	0	0	0	0	0	0	0	0	0	0	0	0

NAME OF PRINCIPAL EXECUTIVE OFFICER
Beasley Michael A.
 LAST FIRST I

TITLE OF THE OFFICER
President/CEO
 TITLE

DATE
 02/20/14
 YR/MO/DA

I CERTIFY THAT I AM FAMILIAR WITH THE INFORMATION CONTAINED
 IN THIS REPORT AND THAT TO THE BEST OF MY KNOWLEDGE AND
 BELIEF SUCH INFORMATION IS TRUE, COMPLETE, AND ACCURATE.

KING AMERICA FINISHING, INC.
 HWY 17
 DOVER, GA 30424

BEGINNING 01/01/14
 DATE MO/DA/YR
 END 01/31/14

LOCATION CODE	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001	001
PARAMETER NAME & UNITS	TKN mg/l	TOTAL NITROGEN mg/l	TOTAL PHOS. mg/l	ORTHO PHOS. mg/l	CONDUCT. HIGH umhos/cm	FORMALDEH mg/l	EFF COLOR ADMI SU	SODIUM mg/l	PEROXIDE mg/l	THPC mg/l	FECAL COLIFORM #/100 ml	ACUTE TOX. FLEA - LC50 %	CHRON. TOX. FLEA - NOEC %	ACUTE TOX. FATHEAD LC50 %	CHRON. TOX. FATHEAD NOEC %	DO LOW mg/l	DO mg/l
TYPE OF SAMPLE	COMP.	COMP.	COMP.	COMP.	CONT.	GRAB	GRAB	COMP.	GRAB	GRAB	GRAB	COMP.	COMP.	COMP.	COMP.	CONT.	GRAB
FREQUENCY OF ANALYSIS	ONE WEEK	ONE WEEK	THREE WEEK	THREE WEEK	DAILY	DAILY	ONE WEEK	DAILY	DAILY	TWO MONTH	ONE WEEK	TWO WEEK	ONE MONTH	ONCE QUARTER	ONCE QUARTER	DAILY	FIVE WEEK
LIMITS	REPORT	REPORT	REPORT	REPORT	REPORT	REPORT MAX 1.6	REPORT	REPORT	REPORT	REPORT	AVG 200 MAX 400	MIN >100	MIN 10	MIN >100	MIN 10	MIN 5.0	MIN 5.0
DATE																	
01/01/14	12.50	18.28	6.24	0.102	1,680	0.11		271	0.0			>100				8.40	10.00
01/02/14					1,440	0.07	49	264	0.0		118					9.00	9.67
01/03/14			5.26	0.220	1,440	0.16		241	0.5			>100	65			9.00	10.02
01/04/14					2,040	0.42		407	0.0							9.60	7.39
01/05/14					2,580	0.33		518	0.0							8.40	7.93
01/06/14			16.30	0.050	2,940	0.23		577	0.0			>100				8.40	8.51
01/07/14					3,180	0.33		599	0.0							8.40	10.13
01/08/14	13.90	43.00	18.80	0.045	3,120	0.32	94	574	0.0		4,840	>100				9.60	11.60
01/09/14					3,120	0.21		631	0.0							10.20	11.57
01/10/14			17.50	0.055	2,940	0.41		548	0.0				25			9.00	9.43
01/11/14					2,820	0.38		525	0.0							7.80	8.23
01/12/14					3,000	0.41		550	0.0							7.20	8.39
01/13/14			21.90	0.048	3,120	0.52		628	0.0	11.80		>100				8.40	8.75
01/14/14					3,240	0.26		676	0.0							7.80	9.48
01/15/14	21.20	63.40	26.70	0.089	3,360	0.38	53	708	0.0			>100				7.80	8.63
01/16/14					3,600	0.36		711	0.0							7.80	8.17
01/17/14			31.30	0.137	3,660	0.55		617	0.0		1,391					8.40	8.85
01/18/14					3,600	0.35		701	0.0							7.80	8.33
01/19/14					3,600	0.35		701	0.0							7.80	8.76
01/20/14			23.50	0.052	4,080	0.28		670	0.0			>100				8.40	9.07
01/21/14					3,480	0.32		626	0.0	12.00						8.40	8.40
01/22/14	18.10	72.70	22.70	0.048	3,480	0.37	52	674	0.5		41	>100				8.40	9.77
01/23/14					3,480	0.28		658	0.5							9.00	9.37
01/24/14			21.80	0.055	3,480	0.50		593	0.0							9.00	10.14
01/25/14					3,360	0.60		579	0.0							8.40	10.69
01/26/14					3,360	0.52		621	0.0							9.00	9.23
01/27/14			20.40	0.045	3,600	0.48		650	0.0			>100				9.00	9.18
01/28/14					3,720	0.27		747	0.0							8.40	8.42
01/29/14	20.20	73.30	20.50	0.054	3,840	0.23	66	758	0.0		63					8.40	9.88
01/30/14					3,840	0.31		766	0.0			>100				8.40	10.94
01/31/14			28.60	0.046	3,840	0.57		753	0.0							10.20	11.24
# SAMPLES	5	5	14	14	31	31	5	31	31	2	5	10	2	0	0	31	31
AVG. VALUE	17.2	54.1	20.1	0.1	3162.6	0.35	63	598	0.05	11.90	290	100	45			8.6	9.4
MAX. VALUE	21.2	73.3	31.3	0.2	4080.0	0.60	94	766	0.50	12.00	4,840	100	65			10.2	11.6
MIN. VALUE	12.50	18.28	5.26	0.05	1440.00	0.07	49	241	0.00	11.80	41	100	25			7.20	7.39
# MAX EXCD.	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0

NAME OF PRINCIPAL EXECUTIVE OFFICER
Beasley Michael A.
 LAST FIRST MI

TITLE OF THE OFFICER
President/CEO
 TITLE

DATE
 02/20/14
 YR/MO/DA

I CERTIFY THAT I AM FAMILIAR WITH THE INFORMATION CONTAINED
 IN THIS REPORT AND THAT TO THE BEST OF MY KNOWLEDGE AND
 BELIEF SUCH INFORMATION IS TRUE, COMPLETE, AND ACCURATE.

KING AMERICA FINISHING, INC.
 HWY 17
 DOVER, GA 30424

BEGINNING 01/01/14
 DATE MO/DA/YR
 END 01/31/14

LOCATION CODE	001	001	001	001	001	001	PLANT	001	002	002	002	001/002		002	002	002	002
PARAMETER NAME & UNITS	pH HIGH SU	pH LOW SU	pH SU	TEMP. HIGH DEG. F	TEMP. LOW DEG. F	TEMP. DEG. F	SOLIDS REMOVED lbs/day	FLOW MGD	STREAM FLOW CFS	STREAM FLOW MGD	EFF / STREAM FLOW %	EFF/UP STR COLOR DIFF. ADMI SU		UPSTREAM COLOR ADMI SU	UP STREAM PH SU	UP STREAM TEMP. DEG. F	UP STREAM CONDUCT. umhos/cm
TYPE OF SAMPLE	CONT.	CONT.	GRAB	CONT.	CHART	GRAB	GRAB	CONT.	GAUGE	CAL.	CAL.	GRAB		GRAB	GRAB	GRAB	GRAB
FREQUENCY OF ANALYSIS	DAILY	DAILY	FIVE WEEK	DAILY	DAILY	FIVE WEEK	DAILY	DAILY	DAILY	DAILY	DAILY	ONE WEEK		ONE WEEK	ONCE MONTH	ONCE MONTH	ONCE MONTH
LIMITS	MIN 6.0 MAX 8.0	MIN 6.0 MAX 8.0	MIN 6.0 MAX 8.0	REPORT	REPORT	REPORT	REPORT	MAX 3.1	REPORT	REPORT	MAX 8	MAX 80		REPORT	REPORT	REPORT	REPORT
DATE																	
01/01/14	7.28	7.14	6.37	57	57	61.16	0	1.23	1,500	969.41	0						
01/02/14	7.28	7.28	6.37	57	57	61.70	0	1.28	1,900	1,227.92	0	-61	110	6.220	49.86	54	
01/03/14	7.28	7.00	6.33	57	57	58.64	0	1.49	2,400	1,551.05	0						
01/04/14	7.14	7.00	6.90	57	54	53.96	0	1.43	2,990	1,932.35	0						
01/05/14	7.14	7.00	7.17	60	54	57.56	0	1.71	3,290	2,126.23	0						
01/06/14	7.28	7.14	7.25	63	60	63.86	0	1.31	3,500	2,261.95	0						
01/07/14	7.42	7.28	6.47	63	54	58.46	0	1.02	4,890	3,160.27	0						
01/08/14	7.42	7.42	6.44	57	48	54.50	0	1.00	5,270	3,405.85	0	-16	110	6.410	38.98	25	
01/09/14	7.42	7.28	6.60	48	48	57.38	0	1.05	4,490	2,901.76	0						
01/10/14	7.42	7.28	6.43	57	51	62.78	0	1.36	3,670	2,371.82	0						
01/11/14	7.28	7.28	6.53	69	57	78.08	0	1.61	3,140	2,029.29	0						
01/12/14	7.28	7.28	6.75	72	69	68.54	0	1.78	2,900	1,874.19	0						
01/13/14	7.28	7.28	7.32	69	63	64.40	0	1.69	2,560	1,654.46	0						
01/14/14	7.28	7.28	7.38	69	63	67.10	17,543	1.95	2,390	1,544.59	0						
01/15/14	7.28	7.14	7.29	69	66	66.74	21,538	2.11	2,400	1,551.05	0	-42	95	5.690	48.83	41	
01/16/14	7.28	7.14	7.33	69	66	64.58	24,742	2.65	2,510	1,622.14	0						
01/17/14	7.28	7.14	7.32	66	63	62.06	16,500	2.51	2,730	1,764.32	0						
01/18/14	7.14	7.14	7.27	66	63	62.96	0	2.25	2,900	1,874.19	0						
01/19/14	7.28	7.28	7.42	63	60	61.16	0	2.11	3,330	2,152.09	0						
01/20/14	7.84	7.28	7.37	63	60	62.06	22,384	1.63	4,780	3,089.18	0						
01/21/14	7.42	7.14	7.21	63	60	62.42	15,051	1.85	5,030	3,250.75	0						
01/22/14	7.28	7.14	7.26	63	60	57.38	0	1.80	4,360	2,817.75	0	-48	100	5.420	44.01	29	
01/23/14	7.28	7.14	7.39	60	54	53.96	15,868	1.28	3,610	2,333.04	0						
01/24/14	7.28	7.28	7.43	54	51	49.82	0	1.02	3,050	1,971.13	0						
01/25/14	7.28	7.14	7.24	51	51	48.20	0	1.02	2,610	1,686.77	0						
01/26/14	7.14	7.00	7.04	51	51	66.38	0	1.12	2,210	1,428.26	0						
01/27/14	7.28	7.14	7.31	60	54	66.74	23,002	1.17	1,870	1,208.53	0						
01/28/14	7.56	7.42	7.52	66	57	66.56	0	1.65	1,712	1,106.42	0						
01/29/14	7.56	7.42	7.59	66	60	58.10	0	1.58	1,577	1,019.17	0	-2	68	5.660	42.06	39	
01/30/14	7.70	7.56	7.40	54	51	51.98	0	0.87	1,507	973.93	0						
01/31/14	7.56	7.42	7.46	51	51	50.72	23,788	0.99	1,507	973.93	0						
# SAMPLES	31	31	31	31	31	31	31	31	31	31	31	5		5	5	5	5
AVG. VALUE	7.3	7.2	7.1	61	57	60.64	5820	1.533	2986.55	1930.12	0.09	-33.80		97	5.9	44.75	38
MAX. VALUE	7.8	7.6	7.6	72	69	78.08	24742	2.650	5270.00	3405.85	0.17	-2.00		110	6.4	49.86	54
MIN. VALUE	7.1	7.0	6.3	48	48	48.20	0	0.870	1500.00	969.41	0.03	-61.00		68	5.4	38.98	25
# MAX EXCD.	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0

NAME OF PRINCIPAL EXECUTIVE OFFICER
Beasley Michael A.
 LAST FIRST MI

TITLE OF THE OFFICER
President/CEO
 TITLE

DATE
 02/20/14
 YR/MO/DA

I CERTIFY THAT I AM FAMILIAR WITH THE INFORMATION CONTAINED
 IN THIS REPORT AND THAT TO THE BEST OF MY KNOWLEDGE AND
 BELIEF SUCH INFORMATION IS TRUE, COMPLETE, AND ACCURATE.

KING AMERICA FINISHING, INC.
 HWY 17
 DOVER, GA 30424

BEGINNING 01/01/14
 DATE MO/DA/YR
 END 01/31/14

LOCATION CODE	002	002	002	002	002	002		002	002	002	002	002	002	002	002	002	002
PARAMETER NAME & UNITS	UP STREAM AMMONIA mg/l	UP STREAM FORMALDEH mg/l	UP STREAM SODIUM mg/l	UP STREAM SULFIDE mg/l	UP STREAM PEROXIDE mg/l	UP STREAM DO mg/l		DWNSTREAM COLOR ADMI SU	DWNSTREAM PH SU	DWNSTREAM TEMP. DEG. F	DWNSTREAM CONDUCT. umhos/cm	DWNSTREAM AMMONIA mg/l	DWNSTREAM FORMALDEH mg/l	DWNSTREAM SODIUM mg/l	DWNSTREAM SULFIDE mg/l	DWNSTREAM PEROXIDE mg/l	DWNSTREAM DO mg/l
TYPE OF SAMPLE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB		GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY OF ANALYSIS	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH		ONE WEEK	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH	ONCE MONTH
LIMITS	REPORT	REPORT	REPORT	REPORT	REPORT	REPORT		REPORT	REPORT	REPORT	REPORT	REPORT	REPORT	REPORT	REPORT	REPORT	REPORT
DATE																	
01/01/14																	
01/02/14	ND0.200	ND0.05	ND5	ND1.00	0.00	10.12		90	6.200	49.86	55	ND0.200	ND0.05	ND5	ND1.00	0.0	10.37
01/03/14																	
01/04/14																	
01/05/14																	
01/06/14																	
01/07/14																	
01/08/14					0.00	11.90		130	6.930	38.98	25					0.0	11.53
01/09/14																	
01/10/14																	
01/11/14																	
01/12/14																	
01/13/14																	
01/14/14																	
01/15/14					0.00	9.29		77	5.750	48.85	44					0.0	9.39
01/16/14																	
01/17/14																	
01/18/14																	
01/19/14																	
01/20/14																	
01/21/14																	
01/22/14					0.00	10.24		98	5.410	44.01	28					0.0	10.23
01/23/14																	
01/24/14																	
01/25/14																	
01/26/14																	
01/27/14																	
01/28/14																	
01/29/14					0.00	10.89		56	5.590	42.01	39					0.0	10.90
01/30/14																	
01/31/14																	
# SAMPLES	1	1	1	1	5	5		5	5	5	5	1	1	1	1	5	5
AVG. VALUE	0.2	0.050	5	1.0	0.0	10.5		90	6.0	44.7	38	0.2	0.05	5	1.0	0.0	10.5
MAX. VALUE	0.2	0.050	5	1.0	0.0	11.9		130	6.9	49.9	55	0.2	0.05	5	1.0	0.0	11.5
MIN. VALUE	0.2	0.050	5	1.0	0.0	9.3		56	5.4	39.0	25	0.2	0.05	5	1.0	0.0	9.4
# MAX EXCD.	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0

NAME OF PRINCIPAL EXECUTIVE OFFICER
Beasley Michael A.
 LAST FIRST M

TITLE OF THE OFFICER
President/CEO
 TITLE

DATE
02/20/14
 YR/MO/DA

I CERTIFY THAT I AM FAMILIAR WITH THE INFORMATION CONTAINED
 IN THIS REPORT AND THAT TO THE BEST OF MY KNOWLEDGE AND
 BELIEF SUCH INFORMATION IS TRUE, COMPLETE, AND ACCURATE.

KING AMERICA FINISHING, INC.
 HWY 17
 DOVER, GA 30424

BEGINNING 01/01/14
 DATE MO/DA/YR
 END 01/31/14

[001 FINAL DISCHARGE TREATED PROCESS REFERENCE]
 [002 IN-STREAM - OGEECHEE RIVER]
 [1. SYSTEM SHUTDOWN NO ANALYSIS PERFORMED]
 [ND. "NOT DETECTED"]

LOCATION CODE	002	002		002		WELL	001									
PARAMETER NAME & UNITS	DN-STR ACUTE FLEA LC50 %	DN-STR CHRON FLEA NOEC %		DN-STR T. HARDNESS mg/l		MERCURY ng/L	MERCURY ng/L									
TYPE OF SAMPLE	GRAB	GRAB		GRAB		Grab	Grab									
FREQUENCY OF ANALYSIS	ONE MONTH	ONE MONTH		ONCE MONTH		ONCE MONTH	ONCE MONTH									
LIMITS	REPORT	REPORT		REPORT		REPORT	REPORT									
DATE																
01/01/14																
01/02/14				20.00		ND0.50										
01/03/14																
01/04/14																
01/05/14																
01/06/14	>100															
01/07/14																
01/08/14																
01/09/14																
01/10/14		100														
01/11/14																
01/12/14																
01/13/14																
01/14/14																
01/15/14																
01/16/14																
01/17/14																
01/18/14																
01/19/14																
01/20/14																
01/21/14																
01/22/14																
01/23/14						ND0.50	0.96									
01/24/14																
01/25/14																
01/26/14																
01/27/14																
01/28/14																
01/29/14																
01/30/14																
01/31/14																
# SAMPLES	1	1		1		2	1									
AVG. VALUE	100	100		20		1	1									
MAX. VALUE	100	100		20		1	1									
MIN. VALUE	100	100		20		1	1									
# MAX EXCD.	0	0		0		0	0									

NAME OF PRINCIPAL EXECUTIVE OFFICER
Beasley Michael A.
 LAST FIRST M

TITLE OF THE OFFICER
President/CEO
 TITLE

DATE
 02/20/14
 YR/MO/DA

I CERTIFY THAT I AM FAMILIAR WITH THE INFORMATION CONTAINED
 IN THIS REPORT AND THAT TO THE BEST OF MY KNOWLEDGE AND
 BELIEF SUCH INFORMATION IS TRUE, COMPLETE, AND ACCURATE.